

# wearesol

Rigid floors



Brochure 2026

[wearesol.net](https://wearesol.net)  
[info@wearesol.net](mailto:info@wearesol.net)

+971 501081317  
[@wearesol\\_](https://www.instagram.com/wearesol_)

# Table of content

---

About Us 3

---

Who You Are 4

---

Products 12

---

Certificates 29

# About Us



Welcome to Sol, your flooring solutions company all the way from the heart of Dubai!

Our mission starts here..

Did you know that flooring can make or break your space? Here comes SOL...

High in motivation and strong in expertise, SOL is here to bring a twist to your interiors and an added comfort to your space!

Our floorings are available in various colors and patterns to match your designs and interiors.

With a fast and easy installation on top of your existing floors, SOL can boost your space in no time!

All our products are already available in stock. You only have to contact us, and we are ready to assist you!

# Residential



## Landlords

As a landlord, you would want your property to be as attractive as possible! Chances are that your flooring is bringing down the value of your property and repelling prospective tenants.

Did you know that, at a limited cost, you could give your property a facelift, ensure your home's value and wow your clients?

AND you don't have to worry about replacing your flooring every now and then, as our products are highly durable, meaning they don't get nasty scratches or stains easily!

## Tenants

Is your flooring outdated? Not attractive? Would you like to add your touch without causing any damage to your landlord's old tiles?

Say no more!

Temporary flooring solutions can add a "homey" feeling to your apartment without breaking the bank!

You can choose the colors, designs and patterns that can fit your mood, style and furniture!

Our temporary flooring can be easily installed, removed and/or changed anytime you feel like and can be carried to your next apartment! And the best part is that you will never have to worry about accidental spills or pet messes... Our floor is completely waterproof and does not retain any stain.

Oh Home Sweet Home!



## Home/ Villa Owners

It is not unusual that after few years, your home or villa will start showing signs of aging.

Moisture, stubborn dirt and stains, breakage, splitting and other damages would eventually start to show up.

SOL can guarantee an easy to be installed, easy to maintain and even easier to clean flooring! Our products are also child and pet friendly and do not stain or scratch easily.

And even if your property is still in a good shape, why not bringing some style and new look to you home? And why not to, especially that the makeover can come at a small cost?

# Commercial



## Retailers

Hello retailers!  
Let's hear from you!  
What are you looking for?

Improving your retail's image? Displaying an attractive layout? A welcoming space? Revamped interiors that will keep your customers dazzled? A floor so clean that no stains or scratches can be visible to the naked-eye? If you're aiming at constant innovation, then your retail flooring should be a key part of your project!

But not just...

Did you know that investing in a high-quality, durable flooring can help you withstand the constant footfalls and the use of various strollers, shopping carts, wheelchairs and others?

AND you can now easily contain the dirt, bacteria and allergens that could anchor in your existing flooring, guaranteeing not only a comfortable but also a healthy experience to your clients.

Your Covid-19 deep cleaning and sanitization processes can now also become so much simpler and cheaper.

AND no need to worry about a lengthy and costly installation because SOL flooring can be installed overnight, and within only few hours, with absolutely no disruption to your business or disturbance to your customers!

Believe it or not, studies have shown that people tend to look down a lot more than look up! So, time for a little twist?



## Hotel Owners

Did you know that studies have shown that flooring has the biggest impact on freshening up interiors?

What is more important for a hotel than clean, fresh and modern flooring?

SOL flooring can help you create a healthier, environmentally friendly atmosphere to your rooms, guaranteeing a top-notch experience to your guests.

Our products are also waterproof, showing high resistance to spills and stains; but also durable and able to resist high traffic of guests, all while being cost-effective.

Installing the new flooring can be done fairly quickly, on top of the existing floor, and in several phases, all without

the need to close down the hotel or causing unnecessary revenue losses.

Seems too good to be true! So don't waste more time and take the plunge!



## Offices/Business Owners

No matter how large or small your office space can be, you will want to create a good looking, healthy and modern design that can leave your employees happy and your clientele impressed.

Our flooring solutions can be a turning point for your office space. Their soundproofing properties can guarantee that your employees will be less distracted and more productive. In addition, they ensure a clean and healthy environment by limiting possible allergies and potential bugs that could be nesting in your old flooring.

Cleaning will also turn into a much easier and faster task. And to top it all, it is pocket-friendly!

Do not worry about the installation time! It can be done while your business is running as usual, with minimum disruption and no risk of losing revenues due to office closure!



## A Fit-out Company

If you are a fit-out company, then SOL is for you!

SOL has carefully-chosen products with a variety of colors, patterns and tones, catered for the various tastes in the market.

Our products have all the qualities needed, from durability to acoustics, slip resistance and waterproof properties.

All colors and patterns are already in stock, ready to be dispatched!

You just have to contact us and we are here to assist you!



Trendy Designs



# The “Members Club” collection



**Bold MCWL010**  
Walnut planks in warm tones that can add personality and character to any interior.  
Available in standard planks.



**Mentor MCWL008**  
Weathered oak with a rich and natural variation that creates an elegant and warm atmosphere to any space.  
Available in standard planks.



**Rebel MCWL003**  
A greige wood that adds a touch of character to any interior and sets the tone of a contemporary space.  
Available in standard planks.



**Bright MCWL007**  
Minimalistic and clean Scandinavian lines that are perfect for contemporary interiors and add a light foundation to the space.  
Available in standard planks.



**Noble MCWL014**

A classic, deep oak tone that brings a feeling of timeless luxury and maturity to your design.  
Available in standard planks.



**Vibrant MCWL015**

A rich, deep brown wood with dynamic undertones that instantly adds depth and a commanding presence to your interior.  
Available in standard planks.



**Explorer MCWL013**

A natural, medium-toned wood that captures the essence of open landscapes, perfect for creating a warm and grounded atmosphere.  
Available in standard planks.



**Social MCWL009**

Distinctive oak with a touch of highlights that can provide spaciousness and versatility.  
Available in standard planks.

# The “Members Club” collection



## Generous MCWL019

A dark, contemporary stain with subtle ashy undertones, delivering a sophisticated and dramatic foundation for any room.  
Available in standard planks.



## Cosmopolitan MCWL002

A contemporary natural oak with fresh tones bringing a vivid atmosphere to your interiors.  
Available in standard planks.



## Traveler MCWL018

A muted, grey-brown wood finish, embodying a well-worn, global aesthetic that pairs effortlessly with modern or industrial design.  
Available in standard planks.



## Gracious MCWL005

The soft and light tones can add serenity and a sense of freshness to your space.  
Available in standard planks.



#### Elegant MCWL016

A very light, contemporary wood with a powdery finish and subtle, minimized grain. It provides a clean, bright, and serene foundation for any modern interior.

Available in standard planks.



#### Adventurous MCWL017

A multi-tonal wood featuring rustic, expressive grains that is designed to anchor and inspire a bold, creative space.

Available in standard planks.

# The “Members Club” collection



**Cosmopolitan MCWH002**  
A contemporary natural oak with fresh tones bringing a vivid atmosphere to your interiors. Available in Herringbone planks.



**Social MCWH009**  
Distinctive oak with a touch of highlights that can provide spaciousness and versatility. Available in Herringbone planks.



**Gracious MCWH005**  
The soft and light tones can add serenity and a sense of freshness to your space. Available in Herringbone planks.



**Explorer MCWH013**  
A natural, medium-toned wood that captures the essence of open landscapes, perfect for creating a warm and grounded atmosphere. Available in Herringbone planks.



**Gracious MCWCH005**  
The soft and light tones can add serenity and a sense of freshness to your space.  
Available in Chevron planks.



**Explorer MCWCH013**  
A natural, medium-toned wood that captures the essence of open landscapes, perfect for creating a warm and grounded atmosphere.  
Available in Chevron planks.



**Noble MCWCH014**  
A classic, deep oak tone that brings a feeling of timeless luxury and maturity to your design.  
Available in Chevron planks.

# The “Members Club” collection



## Refined VRS01

A perfect blend of subtle grey and beige tones that introduces a quiet sophistication, ideal for a bright and airy classical space.

Available in versailles Pattern



## Glamorous VRS02

A deep, charcoal-infused pattern with rich texture, designed to create a bold, luxurious statement piece.

Available in versailles Pattern


## Pattern Designs

Herringbone, Chevron and Versailles patterns have been gaining ground lately and are bringing a strong focus to interior design.


While these patterns are known to make the space look bigger; Herringbone adds a classical luxurious touch, chevron provides a modern and versatile style, and Versailles adds luxury to modern spaces

These designs are offered at Sol Flooring in the click system, some colours are available in stock and the rest can be ordered with a minimum quantity requirement.






CHEVRON PATTERN



HERRINGBONE PATTERN



VERSAILLE PATTERN



## Features & Benefits



### Waterproof

SOL floorings are highly resistant to water and moisture, making them ideal for wet areas, such as kitchens, bathrooms or laundry rooms.



### Easy to clean & maintain

It doesn't take more than a simple dry vacuum or microfiber sweeper for cleaning your flooring. Should you wish to conduct deep cleaning; a damp mop can get the job done.



### Anti-Bacteria

Because hygiene and wellbeing are top priorities, a unique surface treatment is being applied on top of our floorings in order to prevent the growth of microbes, bacteria, fungus and more.



### Pet friendly

From accidental spills to pet messes, we've got you covered!



### Low VOC emission/Air quality

SOL contributes towards good indoor air quality. We promote healthy living especially for children and people with respiratory problem.



### Realistic and trendy visuals

The patterns and colors developed by our design team are authentic and in line with the latest design trends.



### Extremely durable

SOL is made to be lived on. It is highly resistant to scratches, indents and stains. No need to worry anymore about replacing your flooring constantly!



### Installation on top of the existing floor/ Hiding imperfection

SOL can be installed directly on top of any existing flooring. The overall process is fairly quick. It can be done within few hours and does not call for vacating the area.



### Sound reduction

SOL offers you high impact sound reduction and underfoot comfort.



### Slip resistance

SOL improves safety by reducing slipperiness and increasing traction. We give you that extra piece of mind walking barefoot.




# Accessories & Finishes

Matching Color Reducer Profile:  
*2400x45x12mm*




Matching Color 9 Cm Skirting:  
*2400x90x15mm*



Matching Color stair profile:  
*2400x55x18mm*



Cover Skirting:





Staircase

# Technical Specification

## PRODUCT INFORMATION

|                           |   |
|---------------------------|---|
| Item                      | SPC flooring  |
| Plank Size                | 180x1230mm/305x610mm/125x625mm                            |
| Thickness                 | 5mm (+/- 0.05, unstressed)                                |
| Wear Layer Thickness      | 0.3mm (+/- 0.05, unstressed)                              |
| Planks/Box                | 12planks/box,14planks/box                                 |
| Density                   | 2090kg/m <sup>3</sup>                                     |
| Finish                    | UV Coating  |
| Emboss                    | Deep embossing/Leather embossing                          |
| Installation              | Click Floating  |
| Locking System            | Välinge 2G  |
| Bevel                     | Four-sided bevel  |
| Maximum installation area | 10 x 10 m   |
| Underfloor heating        | Suitable  |
| Warranty                  | 20 years for residential use, 10 years for commercial use |
| Impact sound reduction    | 21 dB   |

## UNDERLAYMENT INFORMATION

|                   |                              |
|-------------------|------------------------------|
| Material          | IXPE                         |
| Overall Thickness | 1.0mm (+/- 0.05, unstressed) |

## UNDERLAYMENT INFORMATION

## NORMS

## RESULT

|                              |                   |   |
|------------------------------|-------------------|---|
| Tolerance of Length          | EN 427            | ⊥ 0.15%   |
| Tolerance of Width           | EN 427            | ⊥ 0.15%   |
| Determination of stability   | EN 434            | ⊥ 0.15%   |
| Abrasion Resistance          | EN 660-2          | Group T   |
| Thermal conductivity         | EN12524           | 0.11W/(M.K)   |
| Reaction to Fire             | EN 13501-1        | Bf1-S1  |
| Castor Chair Resistance      | EN 425            | Pass  |
| Classification               | EN685             | Class 23 for residential<br>Class 33 for commercial |
| Stain Resistance             | EN423             | Not affected  |
| VOC                          | ISO 16000         | VOC A+  |
| Slip Resistance              | DIN51130          | Class R9  |
| Residual Indentation         | ISO24343-1:2007   | ⊥ 0.1 mm  |
| Chemical Products Resistance | EN423             | Pass  |
| Ortho-Phthalates             | US EPA 3550c:2007 | None  |
| PCP                          | EN 12673          | None  |
| Formaldehyde Emission        | EN717-1           | E1  |
| Light fastness               | EN ISO 105 B02    | Blue wool scale: Stage ≥ 6                          |

## Technical Details

|   |   |  |
|---|---|--|
| Type  | EPC   |  |
| Dimensions  | 7.0 × 1220 × 610 mm (1.5 LVT + 4.5 EPC + 1.0 mm IXPE) |  |
| Wear Layer  | 0.55 mm   |  |
| Weight  | Approx. 6.84 kg/m <sup>2</sup>                        |  |
| <b>Guarantee</b><br>Residential Area<br>Commercial Area | 12 years<br>10 years                                  |  |

## Classification

|   | Property   | Test Method Standard  | Review in accordance with Standard             |
|---|--|-----------------------|--|
|    | Class of use (Commercial)                                | EN ISO 10874          | Class 33                                       |
|    | Class of use (Industrial)                                | EN ISO 10874          | Class 42                                       |
|    | Reaction to fire   | EN 1-13501            | Bfl - s1                                       |
|    | VOC emissions  | ISO 16000             | A+   |
|   | Slip resistance  | EN 13893              | DS   |
|  | Slip resistance  | DIN EN 16165          | R9   |
|  | Wear resistance  | ISO 24338 Procedure A | ≥ 5000 cycles                                  |
|  | Light stability  | ISO -105B02           | ≥ 6  |
|  | Resistance to staining                                   | EN 2-438              | Not affected                                   |
|  | Formaldehyde emission                                    | EN 1-717              | E1   |
|  | Residual indentation                                     | ISO 1-24343           | ≤ 0.18 mm                                      |
|  | 2G+5G  | -                     | Simple and fast installation                   |
|  | Castor chair resistance                                  | EN ISO 4918           | 25,000 cycles                                  |
|   | Micro-scratch resistance                                 | EN 16094              | ≤ MSR-A2                                       |
|   | Impact resistance (big ball)                             | EN 13329              | ≥ 1600 mm                                      |
|   | Effect of furniture leg                                  | EN ISO 16581          | No visible damage                              |
|   | Thermal conductivity & Thermal resistance                | EN 12664              | 0.101 W/(*mK) & 0.052 (m <sup>2</sup> *K)/W    |
|   | Dimensional stability and curling after exposure to heat | EN ISO 23999          | Dimensional Stability ≤ %0.2<br>Curling ≤ 1 mm |
|   | Utilization  | —                     | Recyclable                                     |

### Notes:

\* Technical changes reserved by Kindomfloors.

\* Lt. Guarantee to Kindomfloors products



## PRODUCT INFORMATION

|                           |   |
|---------------------------|---|
| Item                      | SPC flooring  |
| Plank Size                | 180x1230mm/125x625mm/127x600mm                            |
| Thickness                 | 5mm (+/- 0.05, unstressed) /6mm (+/- 0.05, unstressed)    |
| Wear Layer Thickness      | 0.3mm (+/- 0.05, unstressed)                              |
| Planks/Box                | 12planks/box, 14planks/box, 20planks(10A+10B)/box         |
| Density                   | 2090kg/m <sup>3</sup>                                     |
| Finish                    | UV Coating  |
| Emboss                    | Deep embossing/Leather embossing                          |
| Installation              | Click Floating  |
| Locking System            | 2G-2G for standard, 2G-5Gi for herringbone and chevron    |
| Bevel                     | Four-sided bevel  |
| Maximum installation area | 10 x 10 m   |
| Underfloor heating        | Suitable  |
| Warranty                  | 12 years for residential use, 10 years for commercial use |
| Impact sound reduction    | 21 dB   |

## UNDERLAYMENT INFORMATION

|                   |                              |
|-------------------|------------------------------|
| Material          | IXPE                         |
| Overall Thickness | 1.0mm (+/- 0.05, unstressed) |

## UNDERLAYMENT INFORMATION

### NORMS

### RESULT

|                              | NORMS             | RESULT  |
|------------------------------|-------------------|---|
| Tolerance of Length          | EN 427            | ⊂ 0.15%   |
| Tolerance of Width           | EN 427            | ⊂ 0.15%   |
| Determination of stability   | EN 434            | ←0.15%  |
| Abrasion Resistance          | EN 660-2          | Group T   |
| Thermal conductivity         | EN12524           | 0.11W/(M.K)   |
| Reaction to Fire             | EN 13501-1        | Bf1-S1  |
| Castor Chair Resistance      | EN 425            | Pass  |
| Classification               | EN685             | Class 23 for residential<br>Class 33 for commercial |
| Stain Resistance             | EN423             | Not affected  |
| VOC                          | ISO 16000         | VOC A+  |
| Slip Resistance              | DIN51130          | Class R9  |
| Residual Indentation         | ISO24343-1:2007   | ⊂ 0.1 mm  |
| Chemical Products Resistance | EN423             | Pass  |
| Ortho-Phthalates             | US EPA 3550c:2007 | None  |
| PCP                          | EN 12673          | None  |
| Formaldehyde Emission        | EN717-1           | E1  |
| Light fastness               | EN ISO 105 B02    | Blue wool scale: Stage 7 6                          |



Deutsches  
Institut  
für  
Bautechnik



## INSTALLATION

Sol is much easier to install than hardwood and other types of flooring and can be completed by the homeowner or a professional installer. If you choose to install it yourself, be sure to carefully follow installation instructions from the manufacturer.

## CLEANING

To keep your floor looking new, use a broom, vacuum or microfiber sweeper for a quick clean up. For deeper cleans, a damp mop and mild cleaner get the job done. As a bonus, there's no waxing required!





Waterproof



Anti-Bacteria

# Certificates



Deutsches  
Institut  
für  
Bautechnik

DIBt



SGS

TÜV  
PROFI  
CERT





Trendy Designs



© Sol